Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report Number 28, October 14, 2008

Crop Report for October 12, 2008

Saskatchewan farmers have harvested 97 per cent of the 2008 crop, up two per cent from the previous week's harvest, according to Saskatchewan Agriculture's weekly crop report.

Last year, harvesting progress stood at 96 per cent. The five-year average (2003-07) is 92 per cent harvested.

The northeast remains furthest along at 99 per cent complete, followed by the southwest and west central regions with 98 per cent harvested. The northwest has the most crop left to harvest, but is still reporting 91 per cent complete.

Rainfall at the beginning of the week delayed harvesting and fall field work, but brought needed moisture to some areas. Two-thirds of the crop land is reported as having adequate topsoil moisture, up from less than half last week. Some eastern areas received snow on Sunday, October 12 – those moisture amounts will be captured in the final crop report.

During the past week, unharvested crops as well as emerging fall-seeded crops were damaged by wind, rain, and frost. Reporters raised concerns with sprouting and bleaching. Migratory waterfowl and wild game also caused some crop damage.

Reporters indicated producers are busy spraying, fertilizing, hauling bales, picking rocks and doing other fall work.

This is the last weekly crop report for the 2008 season. The final crop report will be released on October 29, 2008.

Sask. harvesting progress

	% this week	% last week
Winter wheat	100	100
Fall rye	99	99
Spring wheat	97	97
Durum	98	96
Oats	95	93
Barley	98	98
Triticale	99	95
Flax	81	75
Canola	96	94
Mustard	99	98
Sunflowers	19	19
Lentils	99	99
Peas	100	99
Canary seed	88	75
Chickpeas	80	70
Total	**97**	**95**

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Ministry of Agriculture
306-787-5956

Available on the Ministry of Agriculture Internet site at: www.agriculture.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

1 Year Ago

Ninety-six per cent of the 2007 crop had been harvested.

Showers in many regions of the province stalled harvest for at least part of the week.

Crop damage was primarily caused by weathering and waterfowl.

Some northern areas received snow that flattened crops.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN
Crop Insurance

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

South eastern harvesting progress	% this week	% last week
Winter wheat	100	100
Fall rye	100	100
Spring wheat	98	97
Durum	98	98
Oats	97	93
Barley	99	98
Triticale	90	75
Flax	83	78
Canola	99	97
Mustard	99	99
Sunflowers	22	22
Lentils	100	100
Peas	100	100
Canary seed	92	80
Chickpeas	81	81
Total	**96**	**95**

The south east was cool and damp this past week, with some strong winds. An average of 18 mm of precipitation was reported, ranging from an average low of 16 mm in Crop District (CD) 3ase, to an average high of 20 mm reported in CD 2a. Rain and flooding damaged crops in the Frobisher, Alameda, Broadview, Tantallon, and Weyburn areas. Wind damaged crops, including shelling out and scattering of swaths in the Kennedy, Tantallon, Whitewood, Montmartre, and Ceylon areas. Frost damaged crops in the Moosomin area. Bleaching and sprouting also were reported.

Many areas received snow later in the day on October 12. This heavy, wet snow will have flattened any standing crops.

Ninety-six per cent of the 2008 south eastern crop has been harvested, with a further 3% lying in the swath or ready to straight combine. Crops that are less than 95% harvested include triticale, flax, sunflowers, canary seed, and chickpeas. Some of the harvest delay is due to the late maturing of hail-damaged crops.

Ergot was reported in crops in the Fillmore area. Migrating waterfowl damaged crops in the Odessa area. Some oats in the Moosomin area have mildew.

Topsoil moisture conditions improved during the past week. Seventy-eight per cent of the crop land is rated as being adequate, compared to 70% last week. Similarly, 82% of the hay and pasture land is rated as having adequate topsoil moisture, compared to 72% last week.

Harvesting and fieldwork were limited this past week because of the rain. Farmers were hauling bales, spraying, fertilizing, tilling, cutting late feed, bringing cattle home from summer pastures, burning flax straw, fencing, hauling grain, putting machinery away, and finishing up some late winter wheat seeding.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

The south west had cool, damp weather this past week, with some killing frosts and strong winds. An average of 8 mm of precipitation was reported, ranging from an average low of 1 mm in CD 4b, to an average high of 12 mm in CD 3asw. Rain damaged some crops in the Viceroy, Rockglen, Ponteix, and Lucky Lake areas. Frost damaged crops in the Stewart Valley, Consul, and Gull Lake areas. Some areas received snow Friday (10th) and Saturday (11th).

South western harvesting progress	% this week	% last week
Winter wheat	100	100
Fall rye	100	100
Spring wheat	98	97
Durum	98	96
Oats	99	96
Barley	98	98
Triticale	100	97
Flax	91	79
Canola	99	99
Mustard	99	99
Sunflowers	85	70
Lentils	100	100
Peas	100	99
Canary seed	92	91
Chickpeas	79	63
Total	**98**	**96**

Ninety-eight per cent of the 2008 south western crop has been harvested, and a further 1% is lying in the swath or is ready to be straight combined. Crops that are less than 95% harvested include flax, sunflowers, canary seed, and chickpeas. Some of the delays are with hailed crops that are slow to ripen. In some areas, the last of the grain is being taken off tough and will be dried down.

In the Lafleche area, grades for durum range from #1 CWAD to #4 CWAD with protein as high as 18.5%. Spring wheat crops in that area fall mostly in the top two grades with good protein levels.

Topsoil moisture conditions improved slightly during the past week. Fifty-eight per cent of the crop land is rated as having adequate topsoil moisture, compared with 51% last week. Fifty per cent of the hay and pasture land is rated as having

adequate topsoil moisture, compared with 44% last week. Rain before freeze-up will be welcome.

Grasshoppers damaged fall-seeded crops in the Mankota area.

Emerging fall rye crops in the Webb area look good.

Farmers were applying fall chemicals, summerfallowing, chemfallowing, working up sloughs, hauling grain, spraying, fencing, moving cattle home, cleaning out and repairing corrals, and hauling bales. Elevator space is short in some areas.

East central Saskatchewan (Crop Districts 5 & 6a)

East central harvesting progress

	% this week	% last week
Winter wheat	100	100
Fall rye	100	100
Spring wheat	98	98
Durum	97	96
Oats	96	95
Barley	99	99
Triticale	99	99
Flax	79	72
Canola	95	92
Mustard	99	98
Sunflowers	0	0
Lentils	100	99
Peas	99	99
Canary seed	86	78
Chickpeas	97	97
Total	**96**	**95**

The east central region was cool, cloudy, and wet this past week, with some windy days occurring. An average of 25 mm of precipitation was reported, ranging from an average low of 17 mm in CD 5b, to an average high of 28 mm in CD 6a. Rain and flooding caused crop damage in the Abernethy, Langenburg, Ituna, Lintlaw, Quill Lake, Fosston, Craik, Young, and Leroy areas. Frost damaged crops in the Jedburgh area. Crops sustained wind damage, included scattered swaths and lodging of standing crops, in the Yorkton, Imperial, Lumsden, Holdfast, and Craik areas. Sprouting, staining, and bleaching also were concerns.

Sunday, October 12 brought rain and snow to areas in CD 5a.

Ninety-six per cent of the 2008 east central crop has been harvested, and a further 3% is lying in the swath or is ready to be straight combined. Crops that are less than 95% harvested include flax, sunflowers, and canary seed.

Topsoil moisture conditions improved during the past week. Eighty per cent of the crop land and 75% of the hay and pasture land are rated as having adequate topsoil moisture conditions, compared with 51% and 42%, respectively, last week.

Migrating birds damaged crops in the Langenburg and Young areas.

Farmers finished late seeding of winter wheat, baled straw, hauled bales, sprayed, fertilized, applied chemicals, and worked sloughs and field edges. Emerging winter wheat in the Holdfast area looks very good.

West central Saskatchewan (Crop Districts 6b & 7)

West central harvesting progress

	% this week	% last week
Winter wheat	100	100
Fall rye	100	100
Spring wheat	98	98
Durum	99	95
Oats	94	91
Barley	99	98
Triticale	99	97
Flax	69	54
Canola	98	98
Mustard	97	96
Sunflowers	0	0
Lentils	99	99
Peas	99	99
Canary seed	76	49
Chickpeas	98	82
Total	**98**	**96**

The west central region was cool, damp, and windy this past week. An average of 21 mm of precipitation was reported, ranging from an average low of 13 mm in CD 7a, to an average high of 30 mm in CD 6b. Rain and flooding damaged crops in the Conquest, Arelee, and Biggar areas. Wind shelled out standing mustard crops in the Arelee area and frost damaged crops in the Sonningdale area. Staining, bleaching, and sprouting also caused concerns. Peas were sprouting in some piles in the Grandora area.

Ninety-eight per cent of the 2008 west central crop has been harvested, with a further 2% lying in the swath or ready to straight combine. Crops that are less than 95% harvested include oats, flax, sunflowers, and canary seed.

Grain is piled on the ground in the Grandora, Perdue, and Marengo areas.

Topsoil moisture improved during the past week. Fifty-three per cent of the crop land is rated as having adequate topsoil moisture, compared with 30% last week. Fifty-six per cent of the hay and pasture land is rated as having adequate topsoil moisture, compared to 20% last week.

Some durum was downgraded due to ergot in the Eston area. Ergot is also a problem in the Kerrobert area.

Farmers were tilling, hauling bales, weaning calves, discing, harrowing, hauling grain, moving cows, building fences, applying chemicals, and storing machinery. Farmers in the Rosetown area were having trouble obtaining Edge. It is too dry in the Denzil area to do fall banding.

North eastern Saskatchewan

North eastern harvesting progress

	% this week	% last week
Winter wheat	100	99
Fall rye	100	100
Spring wheat	99	99
Durum	100	99
Oats	99	98
Barley	99	99
Triticale	100	100
Flax	95	88
Canola	99	98
Mustard	100	99
Sunflowers	n/a	n/a
Lentils	100	99
Peas	100	99
Canary seed	99	94
Chickpeas	n/a	n/a
Total	**99**	**98**

(Crop Districts 8 & 9ae)

The northeast was cool and wet during the past week. An average of 24 mm of precipitation was reported, ranging from an average low of 16 mm in CD 9ae, to an average high of 28 mm in CD 8b. Sprouting of unharvested crops was a concern.

Ninety-nine per cent of the 2008 north eastern crop has been combined, and a further 1% is lying in the swath or ready to be straight combined.

Topsoil moisture improved with the rain. Sixty-one per cent of the crop land and forty-nine per cent of the hay and pasture land were rated as having adequate topsoil moisture, compared with 19% and 20%, respectively, last week. More moisture would be welcome to help facilitate fall work.

Farmers were harrowing, spraying, cultivating, picking rocks, baling straw, hauling bales, and applying fertilizer where it wasn't too dry.

North western Saskatchewan (Crop Districts 9aw & 9b)

The north western region was cool, wet, and windy during the past week. An average of 30 mm of precipitation was reported, ranging from an average low of 28 mm in CD 9b, to an average high of 34 mm in CD 9aw. Rain and flooding damaged crops in the Debden, Glaslyn, Turtleford, St. Walburg, and Meadow Lake areas. Concerns were expressed about sprouting and bleaching. In the Neilburg area, some wheat samples were showing frost damage.

North western harvesting progress

	% this week	% last week
Winter wheat	100	100
Fall rye	100	100
Spring wheat	92	92
Durum	n/a	n/a
Oats	86	83
Barley	94	94
Triticale	25	25
Flax	62	53
Canola	89	84
Mustard	100	80
Sunflowers	n/a	n/a
Lentils	n/a	n/a
Peas	100	100
Canary seed	100	n/a
Chickpeas	n/a	n/a
Total	**91**	**89**

Ninety-one per cent of the 2008 north western crop has been harvested, with a further 7% lying in the swath or ready to be straight combined. Crops that are less than 90% harvested include oats, triticale, flax, and canola. Crops may be taken off tough or damp and dried down.

Topsoil moisture conditions improved with the rain. Sixty-eight per cent of the crop land and fifty-seven per cent of the hay and pasture land were rated as having adequate topsoil moisture, compared with 39% and 34%, respectively, last year.

Migrating waterfowl damaged crops in the Pierceland area. There was ergot in some wheat samples in the Neilburg and Dorintosh areas.

Farmers were hauling bales, fencing, and bringing the cows home.

Saskatchewan Harvest Progress at October 12, 2008

	% In Swath or Ready to Str.Cmb.			% Harvested		
	2008	2007	Average 2003-07	2008	2007	Average 2003-07
Winter wheat	0	0	1	100	100	99
Fall rye	1	1	1	99	99	97
Spring wheat	2	4	6	97	95	92
Durum	1	1	4	98	99	94
Oats	3	7	10	95	92	86
Barley	1	3	6	98	96	93
Triticale	1	1	4	99	99	82
Flax	13	10	11	81	87	77
Canola	4	6	8	96	94	91
Mustard	1	1	3	99	99	96
Sunflowers	3	11	4	19	12	34
Lentils	1	1	1	99	99	98
Peas	0	1	1	100	99	99
Canary seed	6	4	10	88	93	84
Chickpeas	5	2	4	80	98	85
Total	**2**	**4**	**6**	**97**	**96**	**92**

Saskatchewan Harvest Progress by Crop District at Oct. 12, 2008
(total of all crops)

Crop District	% Combined	% Other
1a	99	0
1b	96	0
2a	94	0
2b	97	0
3ase	94	0
3asw	99	0
3an	99	0
3bs	95	1
3bn	97	0
4a	93	6
4b	96	3
South	**97**	**1**
5a	94	1
5b	95	0
6a	98	0
6b	98	0
7a	97	0
7b	98	0
Central	**96**	**0**
8a	99	0
8b	98	1
9ae	99	0
9aw	89	0
9b	92	1
North	**96**	**0**
SK	**96**	**1**

Growing Degree Days Above 5°C

calculations based on temperatures given by crop reporters

R.M.	Since April 1		Oct 5 - 11	Total
3	1625	*	3.5	1628.5
17A	1491.5	*	0	1491.5
38B			2.5	
43A	1824		14.55	1838.55
44	1441.35	*		1441.35
67			9.5	
68	1823.25	*		1823.25
69			9.85	
71			4.45	
72			3.7	
75B			57.7	
76A			14.1	
78A	1439	*	0	1439
97	1635.035	*		1635.035
108			0	
111A	1658.1	*	12	1670.1
123			7	
124			14	
125			7.8	
127			6.8	
132			2	
138			0	
141			7.45	
142			0	
151B	1438.5	*	19.695	1458.195
166	1666	*		1666
167	1478	*	7	1485
185			9.9	
186			8.5	
190B		*	3.85	
193	1581.75	*		1581.75
221	1550.9	*	9.7	1560.6
222			3	
226			4.5	
246	1409.85		17.95	1427.8
252			0	
258			0	
271			13	
277	1487.55	*	21.9	1509.45
283	1548.65	*	0	1548.65
285	1699.35		10.1	1709.45
312			0	
318A	1486	*	1.5	1487.5
336			18	
339	1447.25		6.5	1453.75
340A			0.5	
343	1616.15	*	3.1	1619.25
370			2.5	
379	1357.55	*	0	1357.55
397		*	12.25	
429B	1357	*	17	1374
442	1402		0	1402
456	1225		12	1237
488			3.05	
496	1420	*	0	1420
502	1470		10.5	1480.5

* missing 1 to 7 days of data

A degree day is defined as a measure of the departure of temperature for a day from some reference temperature. They are expressed in degrees of temperature. For plant growth, a base of 5°C is generally used, although the base varies for each plant species and, in fact, varies throughout the life of the plant from germination to maturity. By accumulating degree days throughout the growing season, it is possible to forecast harvesting dates.

Weekly Rainfall Summary
(in millimeters)

for the week ending October 11, 2008

Crop Dist.	No.	Municipality Name	Past Week	Since April 1
1A	1	Argyle	N/A	315*
	2	Mount Pleasant	18	344
	3	Enniskillen	20	377
	33 A	Moose Creek	N/A	282*
	33 B	Moose Creek	20	348
	34	Browning	N/A	265*
	61	Antler	N/A	370*
	64	Brock	17	324
	65	Tecumseh	N/A	288*
1B	91	Maryfield	N/A	376*
	92	Walpole	32	363
	93	Wawken	13	348
	94	Hazelwood	12	391
	95	Golden West	13	347
	121	Moosomin	24	456
	122	Martin	24	441
	123	Silverwood	20	321
	124	Kingsley	8	398
	125	Chester	15	338
	151 A	Rocanville	20	360
	151 B	Rocanville	16	358
	153	Willowdale	19	339
	154	Elcapo	10	427
	155	Wolseley	10	334
2A	36	Cymri	32	325
	66	Griffin	25	360
	67	Weyburn	19	339
	68	Brokenshell	8	295
	69	Norton	17	335
	96	Fillmore	30	387
	97	Wellington	16	289
	99	Caledonia	NIL	292
2B	126	Montmartre	28	420
	127	Francis	23	363
	129	Bratt's Lake	16	238
	131	Baildon	4	239
	156 A	Indian Head	17	305
	157	South Qu'appelle	33	313
	158	Edenwold	17	361
	160	Pense	10	268
	161	Moose Jaw	13	278
	191	Marquis	N/A	286*
3ASE	9	Surprise Valley	19	325
	38 A	Laurier	15	369
	38 B	Laurier	17	303
	39 A	The Gap	N/A	306*
	39 B	The Gap	12	285
3ASW	10	Happy Valley	NIL	286
	12	Poplar Valley	N/A	308*
	40	Bengough	N/A	295*
	42	Willow Bunch	N/A	274*
	43 A	Old Post	11	291
	43 B	Old Post	N/A	225*
	44	Waverley	N/A	272*
	70	Key West	N/A	275*
	71 A	Excel	10	289
	71 B	Excel	N/A	287*
	71 C	Excel	N/A	303*
	72	Lake Of The Rivers	13	255
73	A	Stonehenge	18	281
	73 B	Stonehenge	N/A	297*
	74	Wood River	19	73
3AN	101	Terrell	5	244
	102	Lake Johnston	9	223
	103	Sutton	15	285
	132	Hillsborough	15	262
	134	Shamrock	N/A	300*
	164	Chaplin	N/A	276*
	193	Eyebrow	N/A	265*
	194	Enfield	N/A	257*
3BS	17 A	Val Marie	13	369
	17 B	Val Marie	N/A	225*
	45	Mankota	18	316
	75 A	Pinto Creek	NIL	276
	75 B	Pinto Creek	18	302
	76 A	Auvergne	15	280
	76 B	Auvergne	12	344
	77	Wise Creek	N/A	328*
	78 A	Grassy Creek	8	397
	78 B	Grassy Creek	10	322
	78 C	Grassy Creek	N/A	357*
	105	Glenbain	21	301
	106	Whiska Creek	NIL	298
	107	Lac Pelletier	N/A	269*
	108	Bone Creek	4	435
3BN	138	Webb	4	370
	165	Morse	N/A	257*
	166	Excelsior	14	366
	167	Sask. Landing	11	385
	168	Riverside	N/A	387*
	226	Victory	22	256
	228 A	Lacadena	N/A	238*
	228 B	Lacadena	8	244
	255	Coteau	N/A	178*
4A	49	White Valley	3	284
	49 A	White Valley	N/A	265*
	51	Reno	TR	259
	79	Arlington	5	283
	109	Carmichael	N/A	338*
	110	Piapot	NIL	336
	111 A	Maple Creek	1	296
	111 B	Maple Creek	N/A	330*
4B	139	Gull Lake	5	321
	141	Big Stick	1	329
	142	Enterprise	NIL	311
	169	Pittville	N/A	296*
	231	Happyland	NIL	275
	232	Deer Forks	N/A	331*
5A	183	Fertile Belt	28	388
	184	Grayson	14	309
	185	Mcleod	13	346
	186	Abernethy	18	318
	211	Churchbridge	26	363
	213	Saltcoats	19	306
	216 A	Tullymet	35	343
	216 B	Tullymet	48	224
	241	Calder	37	354
	243	Wallace	24	378
	245 A	Garry	17	283
	245 B	Garry	30	326
	246	Ituna Bon Accord	N/A	272*
	247	Kellross	21	314
	248	Touchwood	35	279
5B	271	Cote	19	290
	273	Sliding Hills	N/A	230*
	275	Insinger	N/A	254*
	276	Foam Lake	16	352
	277	Emerald	20	297
	304	Buchanan	N/A	401*
	307	Elfros	17	352
	308	Big Quill	N/A	219*
	333	Clayton	N/A	281*
	335	Hazel Dell	15	347
	336	Sasman	17	270
	337	Lakeview	14	251
	338	Lakeside	15	286
	366	Kelvington	18	287
	367 B	Ponass Lake	N/A	150*
6A	189	Lumsden	13	396
	190 A	Dufferin	16	280
	190 B	Dufferin	18	264
	190 C	Dufferin	11	307
	219 B	Longlaketon	10	288
	219 C	Longlaketon	N/A	282*
	220	Mckillop	18	272
	221	Sarnia	22	317
	222	Craik	26	332
	251	Big Arm	35	329
	252	Arm River	32	263
	279 A	Mount Hope	N/A	307*
	279 B	Mount Hope	33	261
	280	Wreford	28	312
	282	Mccraney	54	357
	309	Prairie Rose	37	338
	312	Morris	37	285
	313	Lost River	N/A	245*
	339	Leroy	26	239
	340 A	Wolverine	38	289
	340 B	Wolverine	N/A	236*
	341	Viscount	28	251
	343	Blucher	45	316
6B	283	Rosedale	39	256
	284	Rudy	30	314
	285	Fertile Valley	21	238
	286	Milden	20	224
	314	Dundurn	44	278
	344	Corman Park	23	174
	345	Vanscoy	29	247
	346	Perdue	33	274
	376 A	Eagle Creek	26	215
	376 B	Eagle Creek	36	227
	403	Rosthern	N/A	203*
7A	259	Snipe Lake	6	244
	287	St. Andrews	10	183
	288	Pleasant Valley	12	205
	292	Milton	13	335
	317 A	Marriott	N/A	188*
	317 B	Marriott	25	194
	318 A	Mountain View	4	250
	318 B	Mountain View	21	258
	320	Oakdale	N/A	290*
	321	Prairiedale	12	330
7B	347 A	Biggar	31	282
	347 B	Biggar	14	206
	350 A	Mariposa	6	246
	350 B	Mariposa	8	234
	351	Progress	N/A	384*
	352	Heart's Hill	11	390
	377	Glenside	36	260
	378 A	Rosemount	37	252
	378 B	Rosemount	25	264
	379	Reford	24	193
	380	Tramping Lake	N/A	183*
	381	Grass Lake	11	264
	382	Eye Hill	4	371
	409	Buffalo	24	272
	410	Round Valley	N/A	208*
	411	Senlac	7	362
8A	395	Porcupine	24	241
	397	Barrier Valley	17	210
	398	Pleasantdale	29	221
	428	Star City	19	238
	456	Arborfield	27	289
	457	Connaught	N/A	148*
	458	Willow Creek	11	166
	486	Moose Range	26	254
	487	Nipawin	9	250
8B	369	St. Peter	N/A	161*
	370	Humboldt	24	239
	371	Bayne	28	201
	372	Grant	26	219
	373	Aberdeen	N/A	22*
	400	Three Lakes	32	277
	402	Fish Creek	26	226
	429 A	Flett's Springs	18	172
	429 B	Flett's Springs	37	260
	431	St. Louis	37	235
	459	Kinistino	25	237
9AE	488	Torch River	16	293
	520	Paddockwood	N/A	179*
9AW	405	Great Bend	N/A	115*
	406	Mayfield	N/A	224*
	435	Redberry	25	319
	436	Douglas	24	190
	463	Duck Lake	28	250
	464	Leask	N/A	257*
	466	Meeting Lake	38	265
	467	Round Hill	N/A	261*
	493	Shellbrook	29	214
	494	Canwood	36	288
	496	Spiritwood	45	287
	497	Medstead	50	316
	555	Big River	N/A	218*
9B	438	Battle River	26	236
	440	Hillsdale	N/A	246*
	442	Manitou Lake	6	293
	498 A	Parkdale	32	264
	498 B	Parkdale	28	243
	499	Mervin	45	338
	501 A	Frenchman Butte	20	242
	501 B	Frenchman Butte	25	291
	501 C	Frenchman Butte	14	278
	502	Britannia	5	289
	561	Loon Lake	32	258
	588 A	Meadow Lake	N/A	180*
	588 B	Meadow Lake	55	289
	588 C	Meadow Lake	30	355
	588 D	Meadow Lake	50	401
	622	Beaver River	27	190

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2008
To: October 11, 2008



Cumulative Rainfall
From: April 1, 2008
To: October 11, 2008



Crop Districts
and
Rural Municipalities